

7800 Tandem Utility Trailer Models



All aluminum construction (excluding axle & coupler)

Model	Weight	Bed Size	Tires
7812	1025#	77.5" x 144"	14"
7814	1100#	77.5" x 173"	14"
7816	1150#	77.5" x 192"	14"
7818	1200#	77.5" x 221"	14"
7820	1250#	77.5" x 240"	14"

Standard Equipment

- 2-3500# Rubber torsion axles - Easy lube hubs
- Electric brakes, breakaway kit
- ST205/75R14 LRC radial tires (1760# cap/tire)
- Aluminum wheels, 5-4.5 BHP
- Removable aluminum fenders
- Extruded aluminum floor

- Front & side retaining rails
- A-Framed aluminum tongue, 48" long with 2-5/16" coupler
- 2) 5' Aluminum ramps with storage underneath (7812 has 4' ramps standard)
- 6) Stake pockets (3 per side) (7812 - 4) stake pockets, 2 per side)
- 4) Recessed tie rings, SS 2000#
- 2) Fold-down rear stabilizer jacks (Not standard on 7812, optional)
- Single-wheel swivel tongue jack, 1500# capacity
- LED Lighting package, safety chains
- Pull out ramps - 2-4' (7812) or 2-5' (7814, 7816, 7818)
- Overall width = 101.5"
- Overall length = 197" / 226" / 245" / 272" / 294"

Optional Equipment

Part #	Description
42021	Aluminum tailgate-Full width x 59" long (no ramps)
42009	Bi-fold tailgate upgrade (no ramps)
7800B	Dove tail
41466	Front rock guard
42660	Airdam assembly
41186	2' Motorcycle bracket
42175	Extra stake pockets
41105	Tie down loop
60187	Recessed tie ring-SS 2000#

Part #	Description
60017	Tongue handle
60257	Front storage box
41259	Spare tire mounting bracket, side rail mount
41282	Spare tire mounting bracket, flat mount
51135	14" Aluminum spare tire & wheel
42025	Hydraulic surge brakes
41264	15" Aluminum tire & wheel upgrade (Tandem)
51139	15" Aluminum spare tire & wheel