

# 8200 Tandem Utility Trailers

---



All aluminum construction (excluding axle & coupler)

<b>Model</b>	<b>Weight</b>	<b>Bed Size</b>	<b>Tires</b>
8212	1200#	81" x 144"	14"
8214	1275#	81" x 172"	14"
8216	1350#	81" x 192"	14"
8218	1425#	81" x 220"	14"
8220	1550#	81" x 240"	14"
8222H	1950#	81" x 268"	15"
8224H	2050#	81" x 295"	15"

## Standard Equipment

- 2-3500# (8222H & 8224H = 2-5200#) Rubber torsion axles - Easy lube hubs
- Electric brakes, breakaway kit
- ST205/75R14 LRC radial tires (1760# cap/tire)
- Aluminum wheels, 5-4.5 BHP
- Removable aluminum fenders
- Extruded aluminum floor
- Front retaining rail
- A-Framed aluminum tongue, 48" long with 2-5/16" coupler
- 2) 6' Aluminum ramps with storage underneath (5' on 8212)

- 8212 = 4) stake pockets (2 per side);  
8212-8220= 6) Stake pockets (3 per side);  
8222H-8224H= 8) Stake pockets (4 per side)
- 4) Recessed tie rings, SS 5000#
- 2) Fold-down rear stabilizer jacks
- Double-wheel swivel tongue jack, 1500# capacity
- LED Lighting package, safety chains
- Overall width = 101.5"
- Overall length = 196" / 224" / 243" / 272" / 290" / 320" / 346"

#### Optional Equipment

<b>Part #</b>	<b>Description</b>
42249	Aluminum tailgate (no ramps)
42131	Bi-fold tailgate upgrade (no ramps)
42172	Split bi-fold tailgate
8200B	Dove tail
42134	Upgrade to 2-5200# axles-15" Tires (80-1/8" width)
41467	Front rock guard (3500#)
42252	Front rock guard (5200#)
42651	Airdam assembly
42175	Extra stake pockets
60187	Recessed tie ring, SS 2000#

<b>Part #</b>	<b>Description</b>
60105	Swivel tie down, SS 5000#
60258	Front storage box
41460	Side mount spare tire bracket - 6 bolt
42268	Side mount spare tire bracket - 5 bolt
51135	14" Aluminum spare tire & wheel
41264	15" Aluminum tire & wheel upgrade (Tandem)
51137	15" Aluminum spare tire & wheel
42076	Winch mount assembly
42025	Hydraulic Surge Brakes